



CARIBBEAN EXAMINATIONS COUNCIL

CARIBBEAN SECONDARY EDUCATION CERTIFICATE®  
EXAMINATION

ADDITIONAL MATHEMATICS

Paper 02 – General Proficiency

*2 hours 40 minutes*

06 MAY 2014 (p.m.)

**READ THE FOLLOWING INSTRUCTIONS CAREFULLY.**

1. This paper consists of FOUR sections. Answer ALL questions in Section 1, Section 2 and Section 3.
2. Answer ONE question in Section 4.
3. Write your solutions with full working in the booklet provided.
4. A list of formulae is provided on page 2 of this booklet.

**Required Examination Materials**

- Electronic Calculator (non programmable)
- Geometry Set
- Mathematical Tables (provided)
- Graph Paper (provided)

**DO NOT TURN THIS PAGE UNTIL YOU ARE TOLD TO DO SO.**

Copyright © 2011 Caribbean Examinations Council  
All rights reserved.



**LIST OF FORMULAE**

Arithmetic Series  $T_n = a + (n - 1)d$        $S_n = \frac{n}{2} [2a + (n - 1)d]$

Geometric Series  $T_n = ar^{n-1}$        $S_n = \frac{a(r^n - 1)}{1 - r}$        $S_\infty = \frac{a}{1 - r}$ ,  $-1 < r < 1$  or  $|r| < 1$

Circle  $x^2 + y^2 + 2fx + 2gy + c = 0$        $(x + f)^2 + (y + g)^2 = r^2$

Vectors  $\hat{\mathbf{v}} = \frac{\mathbf{v}}{|\mathbf{v}|}$        $\cos \theta = \frac{\mathbf{a} \cdot \mathbf{b}}{|\mathbf{a}| |\mathbf{b}|}$        $|\mathbf{v}| = \sqrt{x^2 + y^2}$  where  $\mathbf{v} = xi + yj$

Trigonometry  $\sin(A \pm B) \equiv \sin A \cos B \pm \cos A \sin B$

$\cos(A \pm B) \equiv \cos A \cos B \mp \sin A \sin B$

$\tan(A \pm B) \equiv \frac{\tan A \pm \tan B}{1 \mp \tan A \tan B}$

Differentiation  $\frac{d}{dx} (ax + b)^n = an(ax + b)^{n-1}$

$\frac{d}{dx} \sin x = \cos x$

$\frac{d}{dx} \cos x = -\sin x$

Statistics  $\bar{x} = \frac{\sum_{i=1}^n x_i}{n} = \frac{\sum_{i=1}^n f_i x_i}{\sum_{i=1}^n f_i}$ ,       $S^2 = \frac{\sum_{i=1}^n (x_i - \bar{x})^2}{n} = \frac{\sum_{i=1}^n f_i x_i^2}{\sum_{i=1}^n f_i} - (\bar{x})^2$

Probability  $P(A \cup B) = P(A) + P(B) - P(A \cap B)$

Kinematics  $v = u + at$        $v^2 = u^2 + 2as$        $s = ut + \frac{1}{2} at^2$

**GO ON TO THE NEXT PAGE**

**SECTION 1**

**Answer BOTH questions.**

**ALL working must be clearly shown.**

1. (a) (i) The function  $f$  is defined by  $f: x \rightarrow 1 - x^2, x \in \mathbb{R}$ .  
Show that  $f$  is NOT one-to-one. **(1 mark)**
- (ii) The function  $g$  is defined by  $g: x \rightarrow \frac{1}{2}x - 3, x \in \mathbb{R}$ .
- a) Find  $fg(x)$ , and clearly state its domain. **(2 marks)**
- b) Determine the inverse,  $g^{-1}$ , of  $g$  and sketch on the same pair of axes, the graphs of  $g$  and  $g^{-1}$ . **(3 marks)**
- (b) When the expression  $2x^3 + ax^2 - 5x - 2$  is divided by  $2x - 1$ , the remainder is  $-3.5$ .  
Determine the value of the constant  $a$ . **(3 marks)**
- (c) The length of a rectangular kitchen is  $y$  m and the width is  $x$  m. If the length of the kitchen is half the square of its width and its perimeter is 48 m, find the values of  $x$  and  $y$  (the dimensions of the kitchen). **(5 marks)**

**Total 14 marks**

2. (a) Given that  $f(x) = -2x^2 - 12x - 9$ .
- (i) Express  $f(x)$  in the form  $k + a(x + h)^2$ , where  $a, h$  and  $k$  are integers to be determined. **(3 marks)**
- (ii) State the maximum value of  $f(x)$ . **(1 mark)**
- (iii) Determine the value of  $x$  for which  $f(x)$  is a maximum. **(1 mark)**
- (b) Find the set of values of  $x$  for which  $3 + 5x - 2x^2 \leq 0$ . **(4 marks)**
- (c) A series is given by  $0.2 + 0.02 + 0.002 + 0.0002 + \dots$
- (i) Show that this series is geometric. **(3 marks)**
- (ii) Find the sum to infinity of this series, giving your answer as an exact fraction. **(2 marks)**

**Total 14 marks**

**GO ON TO THE NEXT PAGE**

**SECTION 2**

**Answer BOTH questions.**

**ALL working must be clearly shown.**

3. (a) (i) Determine the value of  $k$  such that the lines  $x + 3y = 6$  and  $kx + 2y = 12$  are perpendicular to each other. **(3 marks)**
- (ii) A circle of radius 5 cm has as its centre the point of intersection of the two perpendicular lines in (i). Determine the equation for this circle. **(3 marks)**
- (b)  $RST$  is a triangle in the coordinate plane. Position vectors  $R$ ,  $S$ , and  $T$  relative to an origin,  $O$ , are  $\begin{pmatrix} 1 \\ 1 \end{pmatrix}$ ,  $\begin{pmatrix} 3 \\ -1 \end{pmatrix}$  and  $\begin{pmatrix} 4 \\ 4 \end{pmatrix}$  respectively.
- (i) Show that  $\hat{TRS} = 90^\circ$ . **(4 marks)**
- (ii) Determine the length of the hypotenuse. **(2 marks)**

[Hint: A rough drawing of  $RST$  might help].

**Total 12 marks**

4. (a) Figure 1 shows the sector  $OAB$  of a circle with centre  $O$ , radius 9 cm and angle 0.7 radians.




Figure 1.

- (i) Find the area of the sector  $OAB$ . (2 marks)
- (ii) Hence, find the area of the shaded region,  $H$ . (4 marks)

- (b) Given that  $\sin \frac{\pi}{6} = \frac{1}{2}$  and  $\cos \frac{\pi}{6} = \frac{\sqrt{3}}{2}$ , show that

$$\cos \left( x + \frac{\pi}{6} \right) = \frac{1}{2} (\sqrt{3} \cos x - \sin x), \text{ where } x \text{ is acute.} \quad (2 \text{ marks})$$

- (c) Prove the identity  $\left( \frac{\tan \theta \sin \theta}{1 - \cos \theta} \right) \equiv 1 + \frac{1}{\cos \theta}$ . (4 marks)

**Total 12 marks**

**SECTION 3**

**Answer BOTH questions.**

**ALL working must be clearly shown.**

5. (a) The equation of a curve is  $y = 3 + 4x - x^2$ . The point  $P(3, 6)$  lies on the curve.  
Find the equation of the tangent to the curve at  $P$ , giving your answer in the form  
 $ax + by + c = 0$ , where  $a, b, c, \in \mathbb{Z}$ . **(4 marks)**

- (b) Given that  $f(x) = 2x^3 - 9x^2 - 24x + 7$ .
- (i) Find ALL the stationary points of  $f(x)$ . **(5 marks)**
- (ii) Determine the nature of EACH of the stationary points of  $f(x)$ . **(5 marks)**

**Total 14 marks**

6. (a) Evaluate  $\int_2^4 x(x^2 - 2) dx$ . **(4 marks)**

- (b) Evaluate  $\int_0^{\frac{\pi}{3}} (4 \cos x + 2 \sin x) dx$ , leaving your answer in surd form. **(4 marks)**

- (c) A curve passes through the point  $P(2, -5)$  and is such that  $\frac{dy}{dx} = 6x^2 - 1$ .
- (i) Determine the equation of the curve. **(3 marks)**
- (ii) Find the area of the finite region bounded by the curve, the  $x$ -axis, the line  $x = 3$  and the line  $x = 4$ . **(3 marks)**

**Total 14 marks**

**GO ON TO THE NEXT PAGE**

**SECTION 4**

**Answer ONLY ONE question.**

**ALL working must be clearly shown.**

7. (a) There are 60 students in the sixth form of a certain school. Mathematics is studied by 27 of them, Biology by 20 of them and 22 students study neither Mathematics nor Biology. If a student is selected at random, what is the probability that the student is studying
- (i) both Mathematics and Biology? **(3 marks)**
  - (ii) Biology only? **(2 marks)**
- (b) Two ordinary six-sided dice are thrown together. The random variable  $S$  represents the sum of the scores of their faces landing uppermost.
- (i) Copy and complete the sample space diagram below.

6			9			
5		7				
4						10
3					8	
2				6		
1	2					
	1	2	3	4	5	6

**Sample space diagram of  $S$**

- (i) **(1 mark)**
- (ii) Find
  - a)  $P(S > 9)$  **(2 marks)**
  - b)  $P(S \leq 4)$ . **(1 mark)**

- (iii) Let  $D$  be the difference between the scores of the faces landing uppermost. The table below gives the probability of each possible value of  $d$ .

$d$	0	1	2	3	4	5
$P(D = d)$	$\frac{1}{6}$	$a$	$\frac{2}{9}$	$b$	$\frac{1}{9}$	$c$

Find the values of  $a$ ,  $b$  and  $c$ . (3 marks)

- (c) The aptitude scores obtained by 51 applicants for a supervisory job are summarized in the following stem and leaf diagram.

5|1 means 51

3	1	5	9											
4	2	4	6	8	9									
5	1	3	3	5	6	7	9							
6	0	1	3	3	3	5	6	8	8	9				
7	1	2	2	2	4	5	5	5	6	8	8	8	9	9
8	0	1	2	3	5	8	8	9						
9	0	1	2	6										

- (i) Find the median and quartiles for the data given. (4 marks)
- (ii) Construct a box-and-whisker plot to illustrate the data given and comment on the distribution of the data. (4 marks)

**Total 20 marks**

**GO ON TO THE NEXT PAGE**



8. (a) Figure 2 below, **not drawn to scale**, shows the motion of a car with velocity,  $V$ , as it moves along a straight road from Point  $A$  to Point  $B$ . The time,  $t$ , taken to travel from Point  $A$  to Point  $B$  is 90 seconds and the distance from Point  $A$  to Point  $B$  is 1410 m.




Figure 2.

- (i) What distance did the car travel from Point  $A$  towards Point  $B$  before starting to decelerate? **(2 marks)**
- (ii) Calculate the deceleration of the car as it goes from  $25 \text{ m s}^{-1}$  to  $10 \text{ m s}^{-1}$ . **(5 marks)**
- (iii) For how long did the car maintain the speed of  $10 \text{ m s}^{-1}$ ? **(1 mark)**
- (iv) From Point  $B$ , the car decelerates uniformly, coming to rest at a Point  $C$  and covering a further distance of 30 m. Determine the average velocity of the car over the journey from Point  $A$  to Point  $C$ . **(2 marks)**

- (b) A particle travels along a straight line. It starts from rest at a point,  $P$ , on the line and after 10 seconds, it comes to rest at another point,  $Q$ , on the line. The velocity  $v$  m s<sup>-1</sup> at time  $t$  seconds after leaving  $P$  is

$$v = 0.72t^2 - 0.096t^3 \quad \text{for } 0 \leq t \leq 5$$

$$v = 2.4t - 0.24t^2 \quad \text{for } 5 \leq t \leq 10$$

At maximum velocity the particle has no acceleration.

- (i) Find the time when the velocity is at its maximum. **(3 marks)**
- (ii) Determine the maximum velocity. **(2 marks)**
- (iii) Find the distance moved by the particle from  $P$  to the point where the particle attains its maximum velocity. **(5 marks)**

**Total 20 marks**

**END OF TEST**

**IF YOU FINISH BEFORE TIME IS CALLED, CHECK YOUR WORK ON THIS TEST.**

